



PRODUCT CATALOGUE 2021



We create champions.

Feinwerkbau

www.feinwerkbau.de



THE FEINWERKBAU ICONS

The Feinwerkbau icons provide a quick overview of the main features and characteristics of our sporting weapons.



The patented Feinwerkbau absorber is installed in this model for absolutely smooth release of the shot.



The swiveling match diopter is installed on this model. The adjustment way can be finely adjusted with 20 clicks.



The cocking lever can be mounted on the right or left side of this model.



This model has a precision stock made of high quality aluminum.



This model has a precision stock made of carefully selected wood.



The grip of this product can be adjusted three-dimensionally for better ergonomics.



The stock or some units on this product are coated with high-performance grip lacquer for a better feel.



The stock or grip of this model is suitable for right and left-handed shooters (ambidextrous).



Grips in sizes S, M or L are available for this model.



Grips in sizes S or M are available for this model.



Grips in sizes S or L are available for this model.



Grips in sizes XXS, XS, S, M or L are available for this model.



This model has a dry-firing mode.



The rear sight of this model is versatily adjustable.



This product is delivered in a lockable transport case.



This model can be customized in colour for an additional charge.



CONTENTS

AIR RIFLES _____ 4

800 X _____	5 - 6
800 W _____	7 - 8
800 ALU _____	9
800 UNIVERSAL _____	10 - 11
800 EVOLUTION TOP _____	12 - 13
800 EVOLUTION _____	14
800 BASIC _____	15
800 JUNIOR _____	16
500 ALU _____	17
500 / 500 SHARK _____	18
800 X - BENCH REST _____	19
800 W - BENCH REST _____	20 - 21
800 ALU - BENCH REST _____	22
800 BASIC - BENCH REST _____	23
800 X / W / ALU - HYBRID _____	24 - 25
P 75 SUMMER BIATHLON _____	26
800 X / BASIC FIELD TARGET _____	27
MAKE YOUR MODEL UNIQUE. _____	28 - 29

SMALL-BORE RIFLES _____ 30

2800 ALU _____	31 - 32
2800 ALU X-CHANGE _____	33
2800 W _____	34 - 35
2800 ALU - BENCH REST _____	36
2800 W - BENCH REST _____	37

TECHNICAL DATA RIFLES _____ 38 - 39

AIR PISTOLS AND SPORTING PISTOLS _____ 40

P 8X / P 8X SHORT _____	41 - 42
P 11 _____	43
AW 93 _____	44

SIMULATORS FOR SHOOTING WITH LIGHT _ 45

SIMULATOR RIFLE ALU / SIMULATOR RIFLE _____	46
SIMULATOR PISTOL / ACCESSORIES _____	47

TECHNICAL DATA PISTOLS / SIMULATORS _____ 48 - 49

Visit our website www.feinwerkbau.de

Further information on our products and accessories as well as current news can be found on our website.

You can download our accessories catalogue on our website.



A person wearing a dark jacket and a cap is shown from the side, aiming a yellow and black air rifle. The background is a blurred indoor setting, possibly a shooting range.

1


AIR RIFLES

The name Feinwerkbau is inseparably linked with countless successes in sports shooting. Thanks to the experience of three generations in combination with the use of the latest technologies as well as the greatest possible care in manufacture, our products enjoy an excellent reputation worldwide.

800 X

FEINWERKBAU SETS STANDARDS IN SPORTS SHOOTING

Determining air rifle technology for shooting competitions. Feinwerkbau sets standards where quality, functionality, design and accuracy are concerned. The model 800 X is the flagship of the 800 series.



CONVINCING PRODUCT FEATURES:

- ✓ The maintenance-free pressure reducer of the 800 series together with the patented Feinwerkbau absorber provide a smooth release of the shot.
- ✓ Visually, the Model 800 captivates with an elegant design with the striking Feinwerkbau lines. The revolutionary front stock gives model 800 X an unmistakable design and also ensures optimum damping behaviour.
- ✓ The conversion of the stock from right to left is possible without tools. The cheek piece is equipped with two edge radiuses (square or round) and can be rotated by 180°. This allows the shooter to determine the optimal contact angle of the rifle.
- ✓ The anatomical 3D shaped grip is available in three different sizes and allows the air rifle to be optimally adjusted to the shooter.




800 X BLACK

The model 800 X impresses with well-thought-out product features and numerous setting options. Best conditions for best results in shooting sports.

Delivery including spacer set for hand rest (3.2.220.610)

AVAILABLE OPTION
800 X RED



BASIC TECHNICAL DATA:

Total Weight Approx.	4.8 kg
Total Length	1,075 - 1,190 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 840 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



*if colour is black



800 W LAMINATED WOOD ORANGE

The model 800 W combines the advantages of a wooden stock with the comfortable adjustment options of an aluminium stock. A unique feel combined with all the technical highlights of the 800 series.

Delivery including spacer set for hand rest (3.2.220.610)



BASIC TECHNICAL DATA:

Total Weight Approx.	4.3 kg
Total Length	1,050 - 1,145 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 840 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



*if colour is black



AVAILABLE OPTION
800 W WALNUT




AVAILABLE OPTION
800 W BLACK



800 ALU BLACK

The innovative system of the 800 series in an aluminium stock with various possible settings.

AVAILABLE OPTION
800 ALU RED



BASIC TECHNICAL DATA:

Total Weight Approx.	4.6 kg
Total Length	1065 - 1157 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 805 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




*if colour is black



800 UNIVERSAL

The innovative system of the 800 series in the proven stock made of warp-free laminated wood.



BASIC TECHNICAL DATA:

Total Weight Approx.	4.6 kg
Total Length	1,085 - 1,120 mm
Sight Line Length	750 - 825 mm
Stock Length	770 - 810 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



NEW

AIR RIFLES | CAL. .177 / 4.5 MM

AVAILABLE OPTION

800 UNIVERSAL GREEN



AVAILABLE OPTION

800 UNIVERSAL ORANGE



AVAILABLE OPTION

800 UNIVERSAL BLUE / DARK GREY



AVAILABLE OPTION

800 UNIVERSAL BLUE / LIGHT GREY




AVAILABLE OPTION

800 UNIVERSAL PINK



800 EVOLUTION TOP BLUE

The model 800 Evolution Top is designed for versatile and flexible use in shooting sport. The system of the 800 series in a slim aluminium stock with high-quality basic equipment.



BASIC TECHNICAL DATA:

Total Weight Approx.	3.8 kg
Total Length	1,078 - 1,173 mm
Sight Line Length	610 - 950 mm
Stock Length	725 - 770 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



AVAILABLE OPTION

800 EVOLUTION TOP NATURE



AVAILABLE OPTION

800 EVOLUTION TOP BLACK




800 EVOLUTION BLUE

The perfect air rifle for versatile and flexible use on shooting sport – not least because of various upgrade possibilities.

800 EVOLUTION BLACK

AVAILABLE OPTION



BASIC TECHNICAL DATA:

Total Weight Approx.	3.4 kg
Total Length	1,052 - 1,095 mm
Sight Line Length	750 - 825 mm
Stock Length	700 - 745 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 BASIC

The economical alternative for all shooters who value the precision of the 800 series and want to combine it with versatility.



BASIC TECHNICAL DATA:

Total Weight Approx.	3.9 kg
Total Length	1,100 - 1,125 mm
Sight Line Length	750 - 825 mm
Stock Length	790 - 815 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 JUNIOR BLUE / GREY

Various adjustment possibilities, as well as the full-fledged system of the 800 series, enable young talents to achieve the best results at the shooting range.

800 JUNIOR AVAILABLE OPTION RED / WHITE



BASIC TECHNICAL DATA:

Total Weight Approx.	3.5 kg
Total Length	1,075 - 1,100 mm
Sight Line Length	750 - 825 mm
Stock Length	760 - 780 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



500 ALU

The 500 series combines easy handling with the proven quality and precision of Feinwerkbau – a model in an aluminium stock at an attractive entry-level price.



BASIC TECHNICAL DATA:

Total Weight Approx.	3.3 kg
Total Length	1,052 - 1,095 mm
Sight Line Length	750 - 825 mm
Stock Length	715 - 760 mm
Trigger Weight Approx.	50 - 90 g / 60 - 150 g



500

In the wooden stock, model 500 also cuts a good figure. Whether classic in beech or exciting in black – an all-rounder for customers with a keen eye on costs.

AVAILABLE OPTION
500 SHARK



BASIC TECHNICAL DATA:

Total Weight Approx.	3.2 kg
Total Length	1,085 mm
Sight Line Length	750 - 825 mm
Stock Length	780 mm
Trigger Weight Approx.	50 - 90 g / 60 - 150 g




*only for option "Shark"



800 X - BENCH REST

WALNUT

Determining air rifle technology also in a bench rest version. The standard where quality, functionality, design and accuracy are concerned.

 AVAILABLE OPTION
800 X - BENCH REST BLACK


BASIC TECHNICAL DATA:

Total Weight Approx.	5.0 kg
Total Length	1,075 - 1,190 mm
Sight Line Length	610 - 950 mm
Stock Length	835 - 900 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




*if colour is black



800 W - BENCH REST

LAMINATED WOOD ORANGE

The model 800 W combines the advantages of a wooden stock with the comfortable adjustment options of an aluminium stock – also in the bench rest version.



BASIC TECHNICAL DATA:

Total Weight Approx.	5.2 kg
Total Length	1,070 - 1,165 mm
Sight Line Length	610 - 950 mm
Stock Length	835 - 875 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



AVAILABLE OPTION

800 W - BENCH REST WALNUT



AVAILABLE OPTION


800 W - BENCH REST BLACK



800 ALU - BENCH REST BLACK

The system of the 800 series with all necessary adjusting possibilities for the challenging bench rest discipline.

800 ALU - BENCH REST ^{AVAILABLE OPTION} RED



BASIC TECHNICAL DATA:

Total Weight Approx.	4.7 kg
Total Length	1,065 - 1,157 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 870 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




*only for colour option black



800 BASIC - BENCH REST

No compromises in the technology of the 800 series system - versatile setting options, also in the affordable bench rest version.



BASIC TECHNICAL DATA:

Total Weight Approx.	4.1 kg
Total Length	1,110 mm
Sight Line Length	780 - 870 mm
Stock Length	850 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 - HYBRID

Because of the reorganization of the age groups in the set of rules of the German Shooting Federation (DSB), shooters can now earlier participate in the bench rest disciplines. Numerous shooters take advantage of these new rules and additionally shoot in regular match disciplines. With the new hybrid models by Feinwerkbau, you can choose what discipline you want to enter.

The new hand rest allows secure handling of the air rifle in all disciplines. Additionally, all hybrid models come with a multi-adjustable support bar. One rifle – various possibilities – and of course made in the familiar high Feinwerkbau quality.

The following models are available as a hybrid version at attractive conditions.

800 X - HYBRID AVAILABLE IN BLACK OR RED

A detailed description of the product specifications can be found on page 6 / 7.



800 W - HYBRID

AVAILABLE IN
WALNUT / BLACK OR LAMINATED WOOD ORANGE

A detailed description of the product specifications can be found on page 8 / 9.



800 ALU - HYBRID

AVAILABLE IN
BLACK OR RED

A detailed description of the product specifications can be found on page 10.



P 75 SUMMER BIATHLON

RED / WHITE

The best equipment in summer biathlon sports.

AVAILABLE OPTION
P 75 SUMMER BIATHLON **BLUE / GREY**



ACCESSORIES

With the magazine for target sprint (3.2.018.359) or the conversion kit for target sprint (3.2.018.374) the model P75 can be used as a single shot rifle in target sprint.

BASIC TECHNICAL DATA:

Total Weight Approx.	4.2 kg
Total Length	1,060 - 1,090 mm
Sight Line Length	770 - 815 mm
Stock Length	753 - 783 mm
Trigger Weight Approx.	500 g



800 X FIELD TARGET

The 800 series as perfect solution for Field Target shooters. Available in the revolutionary aluminium stock or in a wooden stock – available either with 16,3 Joule or 20,4 Joule muzzle energy. [Delivery without a scope.](#)

800 BASIC FIELD TARGET AVAILABLE OPTION



Cocking Lever
swivelling, can be rotated by 360°,
can be mounted to the right or left
without tools

Special Barrel Weight
for FT-shooting

Buttstock
can be converted
from left to right
without tools

Special Elevated Hand Rest
adjustable in height, pivoted,
shiftable in longitudinal direction

Butt Plate X-Line



*only for model 800 X | **only for model Basic

BASIC TECHNICAL DATA:

	800 X FIELD TARGET	800 FIELD TARGET BASIC
Total Weight Approx.	4.6 kg	3.7 kg
Total Length	896 - 1,264 mm	925 - 1,155 mm
Stock Length	756 - 925	785 - 815 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g	



MAKE YOUR MODEL UNIQUE.

The following models can be ordered
in your favourite colour:

- 800 X (page 6 / 7)
- 800 X - BENCH REST (page 19)
- 2800 ALU (page 32 / 33)
- 2800 ALU - BENCH REST (page 36)

For more information,
see the following page.



IT WORKS VERY SIMPLY.

- ✓ Choose your favorite colour from the extensive colour range.
- ✓ When ordering, inform your specialist dealer of the colour code of your desired colour.
- ✓ Your specialist dealer uses this colour code to order your personal model at Feinwerkbau.
- ✓ Your individual sports weapon is produced and delivered to your specialist dealer.
- ✓ You get your own personal sports weapon for an additional charge of only 150,- € (RRP incl. VAT)

PLEASE NOTE:

- The delivery time for customized models is extended by approx. 4 weeks.
- For technical reasons, slight colour deviations are possible.
- For printing reasons, the colours shown here are not colour-binding but only serve as a guide for the respective colours.
- The individualized models are made-to-order - exchanges, returns, etc. are therefore excluded.

COLOUR
CODE

1



yellow

COLOUR
CODE

8



blue bright

2



lemon

9



blue dark

3



orange bright

10



green

4




orange dark

11



champagne

5




red

12




titan

6




violet bright

13



brown

7



violet dark






② SMALL-BORE RIFLES

Feinwerkbau also makes no compromises when it comes to small-bore weapons. Thought-out construction plans and the highest demands in the production of individual parts as well as the long-term experience of our employees lead to high-precision and durable products. But the breathtaking design and impressive shooting performance also create enthusiasm in shooting sports.

2800

FEINWERKBAU REDEFINES SMALL-BORE SHOOTING.

The model series 2800 might have the shortest breech in the match range. The center of gravity has been shifted significantly towards the shooter – this allows the model to be easily adapted to your own needs. Best conditions for prone shooting as well as for all disciplines in small-bore shooting. Top results while using superb quality Feinwerkbau products.



More information about the new breech on page 35.

IMPRESSIVE PRODUCT FEATURES:

- ✓ Revolutionary new precision breech – the bolt on model 2800 was significantly shifted backwards towards the shooter.
- ✓ The bolt lever can be used either on the right or left side of the bolt and can be converted without the need of tools.
- ✓ The center of gravity is close to the shooter's body.
- ✓ The lateral adjustment of the cheek piece in the aiming position is possible with a fine adjustment.
- ✓ The damper ring allows to customize the shooting behaviour.
- ✓ The 3D shaped grip made of wood is adjustable in three dimensions and shiftable in longitudinal and lateral direction.



2800 ALU

The model 2800 Alu comes with a precision aluminium stock with numerous setting options – the new flagship in the range of small-bore rifles for best results in shooting sport.



BASIC TECHNICAL DATA:

Total Weight Approx.	5.9 kg
Total Length	1,140 - 1,185 mm
Sight Line Length	650 - 880 mm
Stock Length	800 - 845 mm
Trigger Weight Approx.	60 - 150 g



2800 ALU X-CHANGE

The model 2800 X-Change has the same technical features as the model 2800 Alu (see p. 32). Beyond that, the buttstock of this model can be separated from the front stock without tools. The conversion time in the three-position fight is reduced to an absolute minimum – so more test shots are possible during the preparation time in the final!



Grip, cheek piece, butt plate and butt stock can be removed and changed in one piece

The buttstock can be separated without tools from the front-stock at the joint

Firm hold thanks to an absolutely precise clamp connection

NEW

BASIC TECHNICAL DATA:

Total Weight Approx.	5.9 kg
Total Length	1,140 - 1,185 mm
Sight Line Length	650 - 880 mm
Stock Length	800 - 845 mm
Trigger Weight Approx.	60 - 150 g



2800 W LAMINATED WOOD ORANGE

The model 2800 W combines the advantages of a wooden stock with the comfortable adjustment options of an aluminium stock. A unique feel combined with all the technical highlights of the 2800 series.



BASIC TECHNICAL DATA:


Total Weight Approx.	5.4 kg
Total Length	1,140 - 1,180 mm
Sight Line Length	650 - 880 mm
Stock Length	860 - 890 mm
Trigger Weight Approx.	60 - 150 g



AVAILABLE OPTION
2800 W WALNUT



IN THE SPOTLIGHT: THE NEW BREECH




- ✓ Revolutionary new precision breech – the bolt on model 2800 was significantly shifted backwards towards the shooter.
- ✓ The short breech brings the loading tray directly above the trigger shoe.
- ✓ The breech is guided on two rods which at the same time allow an ideal and comfortable loading situation.
- ✓ Best conditions for prone shooting as well as for all disciplines in small-bore shooting.



2800 ALU - BENCH REST

No compromises in the challenging bench rest discipline. The extremely short breech is convertible from right to left without tools. Thus series 2800 can be easily loaded from both sides - only one highlight of model 2800 bench rest.



BASIC TECHNICAL DATA:

Total Weight Approx.	6.7 kg
Total Length	1,145 - 1,195 mm
Sight Line Length	650 - 960 mm
Stock Length	832 - 885 mm
Trigger Weight Approx.	60 - 150 g



2800 W - BENCH REST

WALNUT

Also in the wooden stock the model 2800 cuts a good figure. Whether in walnut or laminated wood – maximum precision with a breathtaking design.

2800 W - BENCH REST AVAILABLE OPTION LAMINATED WOOD ORANGE



BASIC TECHNICAL DATA:

Total Weight Approx.	5.7 kg
Total Length	1,160 - 1,200 mm
Sight Line Length	650 - 960 mm
Stock Length	860 - 890 mm
Trigger Weight Approx.	60 - 150 g



MODEL		Total Length Approx. mm	Total Height Approx. mm	Sight Length Approx. mm	Sight Height From Barrel Centre Approx. mm	Barrel Length Approx. mm	Barrel Ø Caliber mm	Total Weight Approx. kg
800 X (HYBRID*)		1,075 - 1,190	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.8 (5.0)
800 W (HYBRID*)		1,050 - 1,145	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.3 (4.9)
800 ALU (HYBRID*)		1,065 - 1,157	220 - 300	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.6 (4.9)
800 UNIVERSAL		1,085 - 1,120	210 - 240	750 - 825	27	425	15 4.5 mm / .177	4.6
800 EVOLUTION (TOP*)		1,052 - 1,095 (1078 - 1173)	210 - 235 (225 - 285)	750 - 825 (610 - 950)	27	425	15 4.5 mm / .177	3.4 (3.8)
800 JUNIOR		1,075 - 1,100	210 - 235	750 - 825	27	425	15 4.5 mm / .177	3.5
800 BASIC		1,100 - 1,125	210 - 235	750 - 825	27	425	15 4.5 mm / .177	3.9
500 ALU		1,052 - 1,095	210 - 235	750 - 825	27	425	15 4.5 mm / .177	3.3
500 / 500 SHARK		1,085	210 - 215	750 - 825	27	425	15 4.5 mm / .177	3.2
800 X - BENCH REST		1,075 - 1,190	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	5.0
800 W - BENCH REST		1,070 - 1,165	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	5.2
800 ALU - BENCH REST		1,065 - 1,157	220 - 300	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.7
800 BASIC - BENCH REST		1,110	220 - 300	780 - 870	40	425	15 4.5 mm / .177	4.1
P 75 SUMMER BIATHLON		1,060 - 1,090	250	770 - 815	27	425	15 4.5 mm / .177	4.2
800 X FIELD TARGET (BASIC FT*)		896 - 1,264 (925-1,155)	160 - 296 (210 - 220) WITHOUT SIGHTS	/	/	16.3 J 20.4 J 425 603	15 4.5 mm / .177	4.6 (3.7) WITHOUT GS
2800 ALU / X-CHANGE		1,140 - 1,185	220 - 260	650 - 880	45	670	22 .22 l. r.	5.9
2800 W		1,140 - 1,180	220 - 260	650 - 880	45	670	22 .22 l. r.	5.4
2800 ALU - BENCH REST		1,145 - 1,195	230 - 260	650 - 960	48	670	22 .22 l. r.	6.7
2800 W - BENCH REST		1,160 - 1,200	230 - 270	650 - 960	48	670	22 .22 l. r.	5.7

*Adjustment possibilities with vario-sight.

For more technical data, see the following page.



MODEL	Stock	Stock Length Approx. mm	Trigger Weight Approx. g	Longitudinal Trigger Adj. mm	Length of Barrel Sleeve mm	Barrel Sleeve Ø Approx. mm	Shooting Velocity V ₀ m/sec	Length of Pull mm
800 X („HYBRID“)	Aluminium Anodised	770 - 840 (770 - 900)	30 - 90, 60 - 150	27	585	19.7	170 - 175	308 - 390
800 W („HYBRID“)	Walnut Grip Varnish	745 - 795 (745 - 860)	30 - 90, 60 - 150	27	585	19.7	170 - 175	285 - 343
800 ALU („HYBRID“)	Aluminium anodised	770 - 805 (770 - 865)	30 - 90, 60 - 150	27	585	19.7	170 - 175	283 - 355
800 UNIVERSAL	Laminated Wood	780 - 810	30 - 90, 60 - 150	27	585	19.7	170 - 175	303 - 356
800 EVOLUTION („TOP“)	Aluminium Anodised	700 - 745 (725 - 770)	30 - 90, 60 - 150	27	585	19.7	170 - 175	270 - 348 (296-363)
800 JUNIOR	Laminated Wood	760 - 780	30 - 90, 60 - 150	27	585	19.7	170 - 175	286 - 337
800 BASIC	Beech	790 - 815	30 - 90, 60 - 150	27	585	19.7	170 - 175	308 - 360
500 ALU	Aluminium Anodised	715 - 760	30 - 90, 60 - 150	27	585	19.7	170 - 175	270 - 346
500 / 500 SHARK	Beech Grip Varnish	780	30 - 90, 60 - 150	27	585	19.7	170 - 175	299 - 326
800 X - BENCH REST	Aluminium Anodised	835 - 900	30 - 90, 60 - 150	27	585	19.7	170 - 175	308 - 390
800 W - BENCH REST	Walnut Grip Varnish	830 - 875	30 - 90, 60 - 150	27	585	19.7	170 - 175	300 - 358
800 ALU - BENCH REST	Aluminium Anodised	770 - 870	30 - 90, 60 - 150	27	585	19.7	170 - 175	283 - 355
800 BASIC - BENCH REST	Beech	850	30 - 90, 60 - 150	27	585	19.7	170 - 175	301 - 328
P 75 SUMMER BIATHLON	Laminated Wood	753 - 783	500	27	622	19.7	170 - 175	278 - 326
800 X FIELD TARGET („BASIC FT“)	Aluminium Anodised (BEECH)	756 - 925 (785 - 815)	30 - 90, 60 - 150	27	16.3 J 20.4 J 425 622	19.7	16.3 Joule / 20.4 Joule	308 - 390 (308 - 360)
2800 ALU / X-CHANGE	Aluminium Anodised	800 - 845	60 - 150	27	/	/	/	285 - 360
2800 W	Walnut	860 - 890	60 - 150	27	/	/	/	293 - 364
2800 ALU - BENCH REST	Aluminium Anodised	832 - 885	60 - 150	27	/	/	/	300 - 375
2800 W - BENCH REST	Walnut	860 - 890	60 - 150	27	/	/	/	308 - 379

*Adjustment possibilities with vario-sight.




3 AIR PISTOLS AND SPORTING PISTOLS

We only use the latest technology in the manufacture of our products. High-quality components are made of high-quality raw materials on the latest CNC machining centres. The years of experience and the technical know-how of our employees ensure that our products lead to the best results. Our pistols also impress with the highest quality and stunning shooting performance.

P 8X LAMINATED WOOD ORANGE

The revolution in the field of match air pistols made by Feinwerkbau. Innovative features interacting with high quality materials and a breathtaking design set new standards in air pistols.

AVAILABLE OPTION
P 8X WALNUT



BASIC TECHNICAL DATA:

	P 8X	P 8X SHORT
Total Weight Approx.	0.95 kg	0.87 kg
Total Length	415 mm	370 mm
Sight Line Length	330 - 400 mm	280 - 350 mm
Sight Height From Barrel Centre	14.5 mm	
Trigger Weight Approx.	500 g	



AVAILABLE OPTION

P 8X SHORT WALNUT

AVAILABLE OPTION

P 8X SHORT ORANGE**IMPRESSIVE PRODUCT FEATURES:**

- ✓ Anatomical 3D shaped grip with memory effect. When dismounting the grip, the set positions remain unchanged.
- ✓ The grip can be swiveled by 20° and rotated by 4.5°. The lateral edge can be adjusted in height over a range of 10 mm – this allows an ideal adaption to the shooter's hand.
- ✓ Model P 8X comes with a low sight line.
- ✓ Compensation of canting is possible with the rear sight (up to 15°).



P 11

Small pistol, big performance. Model P11 convinces with high-quality manufacturing, a great accuracy and the familiar precise Feinwerkbau quality.




On request, the model P11 can be upgraded with a 3D shaped grip in the left- or right-hand version (sight extension is needed).



BASIC TECHNICAL DATA:

Total Weight Approx.	0.73 kg
Total Length	345 mm
Sight Line Length	290 mm
Sight Height From Barrel Centre	16 mm
Trigger Weight Approx.	500 g



AW 93

The sporting pistol AW 93 comes with a system for the balance of masses and provides a unique feeling for the shot for best results.



AVAILABLE OPTION AW 93 LIGHT



BASIC TECHNICAL DATA:

	AW 93	AW 93 LIGHT
Total Weight Approx.	1.14 kg [with Magazine]	1.08 kg [with Magazine]
Total Length	285 mm	
Sight Line Length	217 mm	
Sight Height From Barrel Centre	20 mm	
Trigger Weight Approx.	1,000 g	



④ SIMULATORS FOR SHOOTING WITH LIGHT

Feinwerkbau also makes no compromises for the shooter's offspring. Excellent workmanship, high-quality components of our match-products and experience from three generations. Best conditions for professional training in light shooting right from the start.



SIMULATOR RIFLE ALU


In the high-quality aluminium stock, the simulator offers larger adjustment ranges and thus an even more flexible use in youth work.



*if option is wood | **if option is Alu

SIMULATOR RIFLE

The simulator in a wooden stock offers best conditions for the shooter's offspring in a professional training in light shooting at an affordable price.



BASIC TECHNICAL DATA:

	SIMULATOR RIFLE ALU	SIMULATOR RIFLE
Total Weight Approx.	2.3 kg	1.8 kg
Total Length	890 - 940 mm	850 - 885 mm
Sight Line Length	540 - 620 mm	565 - 620 mm
Stock Length	630 - 680 mm	648 - 683 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g	



SIMULATOR PISTOL

In this simulator pistol high-quality components out of the match-sector are used.
Best conditions for a professional and sustainable youth work.

Rear Sight swiveling for tilt compensation and with exchangeable rear sight blade (series = 4.2mm wide)

Cocking Lever

Front Sight interchangeable

Ambidextrous Grip made of beech wood with grip lacquer available in two sizes (S or M)

Adapter For The Laser (already integrated in the simulator)

Full-Fledged Feinwerkbau Match-Trigger with various possibilities of adjustment

ACCESSORIES FOR SIMULATORS

The simulator pistol and rifle are available individually or as part of a complete package with laser, laser target with evaluation software "RedDot View", adapter frame (for simulator pistol) and optional with the display unit "Mini View".



Laser Target



Display Unit "Mini View"



Laser



Adapter for Holding the Laser











Evaluation Software "RedDot View"

BASIC TECHNICAL DATA:

Total Weight Approx.	0.4 kg
Total Length	270 mm
Sight Line Length	240 mm
Trigger Weight Approx.	500 g



MODEL		Total Length Approx. mm	Total Height Approx. mm	Sight Line Length Approx. mm	Sight Height From Barrel Centre Approx. mm	Barrel Length Approx. mm	Barrel Diameter Approx. mm	Caliber	Total Weight Approx. kg	Grip
P 8X		415	145	330 - 400 (INFINITELY VARIABLE)	14,5	218	12	4,5 mm / .177	0,95	Walnut
P 8X SHORT		370	150	280 - 350 (INFINITELY VARIABLE)	14,5	170	12	4,5 mm / .177	0,87	Walnut
P 11		345	135	290	16	183	12	4,5 mm / .177	0,73	Beech
AW 93		285	145	217	20	152	15	.22 l.r.	1,14 with Mag.	Walnut
AW 93 LIGHT		285	145	217	20	152	15	.22 l.r.	1,08 with Mag.	Walnut
SIMULATOR RIFLE ALU		890 - 940	190 - 215	540 - 620	27	/	/	/	2,25	Beech
SIMULATOR RIFLE		850 - 885	200 - 205	565 - 620	27	/	/	/	1,8	Beech
SIMULATOR PISTOL		270	125	240	16	/	/	/	0,4	Beech

For more technical data, see the following page.



MODEL	Grip Adjustment	Propellant Charge	Trigger Weight Approx. g	Longitudinal Trigger Adj. Approx. mm	Quantity of Shots	Shooting Velocity V ₀ m/sec	Rear Sight	Front Sight	Quantity of Shots / Cylinder Approx.
P 8X	versatilely adjustable	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	28 altitudinal trigger adj. 4 mm	1	145 - 155	Rear sight notch adjustable in width 2 - 8.5 mm Rear sight notch adjustable in height 1.8 - 3.5 mm	block-type front sight 3.6/3.9/4.2/4.5/4.8/5.1	160 at 200 bar
P 8X SHORT	versatilely adjustable	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	28 altitudinal trigger adj. 4 mm	1	145 - 155	Rear sight notch adjustable in width 2 - 8.5 mm Rear sight notch adjustable in height 1.8 - 3.5 mm	block-type front sight 3.6/3.9/4.2/4.5/4.8/5.1	120 at 200 bar
P 11	10° to swivel, ± 3° to twist, tilting balance ±15° via sighting	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	22	1	145 - 155	adjustable 2.5 - 5.0 mm	block-type front sight 3.4/3.8/4.2/4.6/5.0	100 at 200 bar
AW 93	adjustable hand rest	rim fire .22 l.r.	Trigger slack weight and trigger point weight separately adjustable 1,000	14	5 + 1	280 - 320	adjustable 2.5 - 5.0 mm	inter-changeable 3.8/4.8	/
AW 93 LIGHT	adjustable hand rest	rim fire .22 l.r.	Trigger slack weight and trigger point weight separately adjustable 1,000	14	5 + 1	280 - 320	adjustable 2.5 - 5.0 mm	inter-changeable 3.8/4.8	/
SIMULATOR RIFLE ALU	12 mm longitudinal adjustment, +/- 5 ° rotatable	/	30 - 90 60 - 150	27	/	/	/	/	/
SIMULATOR RIFLE	/	/	30 - 90 60 - 150	27	/	/	/	/	/
SIMULATOR PISTOL	10° to swivel, ± 3° to twist, tilting balance ±15° via sighting	/	Trigger slack weight and trigger point weight separately adjustable 500	22	/	/	adjustable 2.5 - 5.0 mm	block-type front sight 3.4/3.8/4.2/4.6/5.0	/



Quality
„Made in Germany“

.precision
.design
.tradition
.interaction
.success

PRESENTED BY:

This catalogue is free.
07 / 2021 ©Feinwerkbau GmbH
Modifications of technics and design reserved. Printed in Germany.