





Sprint, next stage, get the rifle in position, aim, concentrate. Hundredths of a second after the shot - the clear sound of steel and then...







PRECISION RIFLE SHOOTING EVOLUTION OF PRECISION

A new shooting sport discipline is taking the international shooting world by storm. PRECISION RIFLE SHOOTING.

Away from static shooting, towards pure adrenaline. On specially marked courses, the shooters shoot dynamically at targets at different distances.

Standing, lying, kneeling, in challenging positions and in between changing the spot in a sprint - this action-loaded sport demands everything from the shooter.

For these reasons, the number of shooters in the PRS scene has been growing rapidly for years.

The demands on a PRS rifle – precision, speed, reproducibility and reliability, these are the core competences of ANSCHÜTZ.

Our APR rifles – the perfect choice for PRS shooters.





1782 APR CARBON GREY - IN THE ACC PREMIER CHASSIS FROM MDT HIGHEST PRECISION AND FUNCTIONALITY = MAXIMUM SUCCESS

The ANSCHÜTZ APR models were developed with one goal - maximum success. This goal is only achieved by the factors precision, functionality and ergonomics as well as the inner will to get the maximum out of every situation, under any circumstances.

With the 1782 APR, you have the right tool at your side. Specially adapted to the requirements of Precision Rifle Shooting. A steel barreled action together with a continuous 20 MOA Picatinny rail - is milled from a solid piece of steel for maximum stabilty. For the fastest repeating action, the uniquely silky smooth and easy operated bolt action is equipped with a two-row six locking lug - for maximum safety. The connection between shooter and rifle: The 5082 D APR trigger, with an incredible adjustment range and a trigger characteristic breaking like glass. All this embedded in a proven and high quality ACC PREMIER chassis of the MDT brand.





- 1 Non-slip rubber butt plate with height adjustment
- 2 Adjustment of the stock length
- 3 Adjustment of the cheek piece
- 4 Generously designed, ergonomic thumb rest
- 5 Bolt handle lock
- 6 Catch, ergonomically positioned and easy to operate Bolt stop
- 7 Picatinny rail with 20 MOA pre-tilt, milled directly into the receiver
- 8 Generously designed ejection port for reliable ejection and fast reloading
- 9 DLC or TIN coated bolt breech
- 10 Heavy ANSCHÜTZ precision barrel 660 mm
- 11 23.5 mm muzzle diameter with barrel thread M18x1
- 12 Rear stock offers space for optional additional weights
- 13 "ELITE" vertical grip, versatile adjustable

- 14 Single stage trigger 5082 D APR, set in factory to 1.100 g, adjustable from 750 - 1.200 g
- **ANSCHUT**
- 15 Special APR bolt knob
- 16 High-strength trigger guard, for protection of the trigger during fast position change
- 17 Magazine release lever on both sides, for quick magazine change
- 18 Steel 10-round magazine (AICS)
- 19 Aggressive barricade hold for stable stop in shooting position
- 20 M-LOK attachment points on all sides of the fore-end
- 21 Dovetail with retaining screws for mounting accessories such as a bipod
- 22 Removable end cap for optional internal weights



DLC COATING

The DLC coating (Diamond like Carbon) has the typical properties of diamonds. Due to its extreme surface hardness, the DLC coating is ideally suited for heavily stressed components and at the same time provides maximum sliding properties - and is therefore perfectly suitable for this ANSCHÜTZ 1782 APR bolt.

1782 APR PRODUCT INFORMATION





The state of the s

6.920 g 750 - 1.200 g

Weight of barreled action: Approx. 4.370 g Weight of stock: Approx. 2.550 g Muzzle diameter:23.5 mm

Scope of delivery:

ANSCHÜTZ 1782 APR barreled action, mounted in MDT ACC chassis, 10-round steel magazine (AICS), quality control card, delivered in transport rifle case MEGA PLUS

Possible configurations – right hand version:

DIC bolt breech (deep black

6 mm Creedmoor	ltem No.: 016966
6.5 Creedmoor	ltem No.: 016960
308 Win	Item No : 017098

1782 APR, stock Flat Dark Earth, black barreled action, TIN (gold colored) bolt breech

6 mm Creedmoo	rltem	No.:	016968
6.5 Creedmoor	ltem	No.:	016967
308 Win	Item	No·	017101

Or let us know your desired configuration! See page 12 - 13 and 23.

1782 APR FLAT DARK EARTH - IN THE ACC PREMIER CHASSIS FROM MDT BALANCED IN WEIGHT, FOCUSED ON THE TARGET

Finding the right balance - no problem with the 1782 APR. The 1782 APR barreled action is equipped with a heavy 660 mm precision barrel and weighs 4.370 g. This solid barreled action is bedded in the ACC PREMIER chassis, which can be optimally balanced thanks to numerous attachment options. This has the advantage of significantly reducing recoil, which leads to better target focus. The solid and well-balanced overall weight of the 1782 APR is crucial for both fast and agile switching between stages and ensures a steady gun mount.



1782 - a balanced overall package!



Gold colored TIN-coated bolt breech



Further information about the 1782 APR rifles can be found here.



TIN-COATING

TIN is a metallic hard material of typical golden yellow color. The material is characterized by very high hardness and corrosion resistance, resulting in a number of technical applications, such as low friction and high wear resistance. Perfect for the ANSCHÜTZ 1782 APR bolt.



Cerakote coated receiver and barrel



ANSCHUTZ

CERAKOTE ON RECEIVER, BARREL AND BOLT KNOB

The ceramic-based surface coating is proven around the globe to protect high-quality metal parts from corrosion, dirt and scratches.

Extreme heat, cold, as well as chemical stresses such as oils or similar cannot harm this protective coating.

The matt finish of the CERAKOTE and the TIN-coated barreled action parts result in a grandiose appearance.

Optionally configurable, see page 12.

CERAKOTE

1782 APR STEEL RECEIVER MADE TO WITHSTAND

Barreled action made from steel. Purity and quality - classically blued. Securely bedded in the stock for outstanding shooting performance. Sturdy and resistant to heat and cold. Highly-precise surfaces that display in design and allow the bolt to slide internally without any resistance. A reliable companion with impressive precision and function. Timeless perfection! The integrated Picatinny rail enables flexible, simple and solid rifle scope mounting - even with attachments.







1782 BOLT MOVEMENT **FOR FAST CYCLING**

A bolt movement, that inspires again and again. DLC- or TIN-coated bolt breech is individually paired to the action, achieving a smooth cycle of the bolt. Corrosion protected. Six locking lugs - a reliable, durable detail for maximum safety.





1782 APR TRIGGER THE PEAK OF ANSCHÜTZ COMPETENCE

Precision and refinement from high-performance sports - in summer and and winter. Adjustable trigger weights and adjustable as two stage or direct trigger. The location in the rifle with the decisive moment - high-precision parts in harmony in the tightest of spaces. For a single task! The perfect harmonization between shooter and rifle.

Unparalleled. There is nothing better.

- Adjustable match single stage trigger 5082 D APR, set in factory to 1.100 g, adjustable from 750 – 1.200 g
- Ergonomic and fast operating safety catch
- The serrated trigger blade can be moved and swiveled
- The trigger characteristic can be changed from single stage to a two stage



1782 APR CONFIGURATOR - RIGHT HAND VERSION YOUR PERSONAL 1782 - ACCORDING TO YOUR WISHES!

Technical data (depending on configuration): The total weight is 6,920 g. The overall length is between 1,160 mm and 1,190 mm.

1. CHOOSE A CHASSIS



MDT ACC PREMIER CHASSIS - CARBON GREY

Length of pull	345 - 375 mm
Material	Coated aluminum



MDT ACC PREMIER CHASSIS - FLAT DARK EARTH

Material.....Coated aluminum

2. CHOOSE A BARRELED ACTION



1782 APR barreled action with deep black DLC-coated bolt breech and standard firing pin, 10-round magazine, trigger 5082 APR, 660 mm barrel



1782 APR barreled action with gold-colored, TIN-coated bolt breech and gold-colored TIN-coated firing pin, 10-shot magazine, trigger 5082 APR, 660 mm barrel



1782 APR barreled action with Flat Dark Earth CERAKOTE coating, gold-colored TIN-coated bolt breech and gold-colored TIN-coated firing pin, 10-round magazine, 5082 APR trigger, 660mm barrel





Scope of delivery:

Model 1782 APR configurations will be delivered with a 10-round magazine (AICS), thread protector, in the transport rifle case MEGA PLUS.

3. CHOOSE A CALIBER



6 mm Creedmoor

Number of grooves6
Twist rate.......191 mm



6.5 Creedmoor



.308 Win.







1761 APR - IN THE XRS CHASSIS FROM MDT THE HYBRID OF PRECISION AND TRADITION

The model 1761 APR has been specially developed for the small bore PRS disciplines. A high precision and modern small bore barreled action from the ANSCHÜTZ company, paired with the ergonomically shaped XRS stock. The self-centering 1761 bolt locks with three locking lugs, is equipped with a brilliant match trigger which is set in factory to 750 g and underlines the precision of this overall package. On the case there is a full-length Picatinny rail with 30 MOA pre-tilt, for easy and flexible scope mounting. Rounded off with a 10-round stainless steel magazine that is quick and easy to change.





- 1 Non-slip rubber butt plate
- 2 Butt plate extenders (5x, 1/4 inch each)
- 3 Adjustable cheek piece
- 4 Interchangeable grips (included in the sope of delivery)
- 5 Ergonomic thumb rest
- 6 Catch, ergonomically positioned and easy to operate
- 7 Bolt stop
- 8 Special APR bolt knob for fast bolt action
- 9 Full length Picatinny rail with 30 MOA pre-tilt
- 10 Heavy ANSCHÜTZ precision barrel 544 mm


- 11 22 mm muzzle diameter with barrel thread ½"-28 UNEF
- 12 Studs



- 13 High strength trigger guard, for protection of the trigger during rapid position changes
- 14 Single stage trigger 5061 APR, set in factory to 750 g, adjustable from 750 1.200g
- 15 Magazine release lever operable from both sides, for quick magazine change
- 16 10-round stainless steel magazine
- 17 Aggressive barricade hold for stable stop in shooting position



1761 APR PRODUCT INFORMATION







Scope of delivery:

4.240 g 750 - 1.200 g

1761 APR, mounted in XRS Chassis, 10-round magazine (ANSCHÜTZ), Picatinny rail, interchangeable straight grip, quality control card, delivered in transport rifle case MEGA

Item numbers – right hand version:

1761 APR, MDT XRS Chassis, black, Single stage trigger 5061 APR Dltem No.: 016944

1761 APR, MDT XRS Chassis, black,
Two stage trigger 5061 APR......ltem No.: 016864

1761 RECEIVER TO IGNITE YOUR PASSION, ANSCHÜTZ PROVIDES THE SPARK.

The foundation of our high precision rests on the barreled action design. Geometry inspired by our target rifles, with a high degree of rigidness, a flat supporting surface and an integrated recoil lug. The precision action is manufactured by highly demanding production processes and with gunsmiths expertise. The well engineered integrated ejector can be easily exchanged if needed. The brilliant matt surface lends the model 1761 APR a timeless appearance, which will continue to look excellent even for many years to come. This overall package is rounded off with a factory-supplied Picatinny rail with 30 MOA pre-tilt.





1761 BOLT RUNS EASY AND QUICK

The small bearing reduces the force needed to open and to close the bolt. Fast and easy repeats are possible. Symmetrically arranged three-lug locking mechanism for the highest safety and phenomenal precision. Simple disassembly for care and cleaning. The high-quality and resistant QPQ coating ensures additional sliding capacity, resistance to wear, and corrosion protection and is therefore perfectly suited for the demanding PRS disciplines and harsh weather conditions.



Three-lug locking mechanism for highest safety and phenomenal precision



Small bearing for even faster and smoother repeating

1761 TRIGGER OUR TRADITION

It doesn't matter which kind of trigger you need, whether single stage or two stage, which aiming position is preferred or required, whether prone, sitting, kneeling or freehand standing:

With this trigger for the model 1761, you will find the perfect interface between you and your 1761 APR small bore rifle, adjustable from 750 - 1.200 g, set in factory to 750 g.

Ergonomic sliding safety

There is nothing better.



can be moved and swiveled

10-round magazine



The handy magazine release lever is integrated in the trigger unit





ANSCHÜTZ ACCESSORIES AND FAN WORLD FOR THE SHOOTING RANGE



MDT AICS 10-Round magazine,

original MDT magazine made of high strength steel.

Best.-Nr.: 016975



ANSCHÜTZ 10-Round magazine,

single-row 10-round magazine with stainless steel housing. High-strength magazine base made of weatherproof synthetic.

Best.-Nr.: 016174



ANSCHÜTZ Special soft case for hunting and sporting rifles,

as a special feature, the new carrying strap system, including a lock, also lets you carry the soft case on your back. Outer dimensions: 1.250 x 250 x 50 mm

Item No.: 015504







ANSCHÜTZ Caps,

made of robust fabric that is ideal for PRS shooters and the shooting range. The size of the cap can be adjusted. With an elegant ANSCHÜTZ embroidery.

Item No.: 017130

Snap Back Cap APR, black

ANSCHÜTZ -

Item No.: 017131

ANSCHÜTZ -Trucker Cap APR, black Item No.: 001568

ANSCHÜTZ -Cap Sport, black

ANSCHÜTZ Polo-Shirt,

the high-quality polo shirt made from 100% cotton with an embroidered ANSCHÜTZ logo on the chest. Available in sizes S, M, L, XL and XXL.

Item No.: 011680 (Size S) Item No.: 011681 (Size M) Item No.: 011682 (Size L)

Item No.: 011683 (Size XL) Item No.: 011684 (Size XXL)

ANSCHÜTZ APR patch,

embroidered with velcro backside for attaching to all velcro surfaces (e.g. cap, bag). Approx. 60x80 mm

Item No: 017133

ANSCHÜTZ APR cartridge patch,

synthetic patch with velcro backside. Waterproof statement for all ambitious PRS shooters. Approx. 25x80 mm

Item No: 017132



CONFIGURATION OPTIONS ACCORDING TO YOUR WISHES



More information and configuration possibilities also online on our homepage!



1782 APR SELECTABLE COMPONENTS	MAKE YOUR SELECTION	SURCHARGE
BARRELED ACTION	RIGHT-HANDED VERSION	
1782 Barreled action with DLC-coated bolt breech ¹		
1782 Barreled action with TIN-coated bolt breech and TIN-coated firing pin ²		•
1782 Barreled action FDE CERAKOTE coated, with TIN-coated bolt breech and TIN-coated firing pin ³		0
CALIBER	BARREL LENGTH	
6 mm Creedmoor ^{1, 2, 3}	☐ 660 mm	
6.5 Creedmoor ^{1, 2, 3}	☐ 660 mm	
.308 Win. ^{1, 2, 3}	☐ 660 mm	•
STOCK		
MDT ACC PREMIER CHASSIS – Carbon Grey ¹		
MDT ACC PREMIER CHASSIS – Flat Dark Earth (FDE) 2,3		•
SCOPE OF DELIVERY: The Model 1782 APR is delivered in the MDT ACC PREMI		l magazine

ATTENTION: Not all components can be combined. Please note the superscript numbers for possible configurations.

1761 APR SELECTABLE COMPONENTS	MAKE YOUR SELECTION	SURCHARGE
BARRELED ACTION	RIGHT-HANDED VERSION	
1761 Barreled action with continuous Picatinny rail with 30 MOA pre-tilt		•
CALIBER	BARREL LENGTH	
.22 l.r.	544 mm	•
STOCK		
MDT XRS CHASSIS black		•
ABZUG		
5061 APR D Single stage trigger		•
5061 APR Two stage trigger		•
SCOPE OF DELIVERY: The Model 1761 APR is delivered in the MDT XRS chassis, with an ANSCHÜTZ 10-round stainless steel magazine, Picatinny rail, interchangeable straight grip and a quality control card in the MEGA transport rifle case.		

YOUR APR



J.G. ANSCHÜTZ GmbH & Co. KG Jagd- und Sportwaffenfabrik

Daimlerstraße 12 · 89079 Ulm / Germany Fon +49 - (0)731 - 40 12 - 0
Fax +49 - (0)731 - 40 12 - 700
www.anschuetz-sport.com
www.facebook.com/OfficialAnschuetz
www.youtube.com/AnschuetzGmbH
www.instagram.com/AnschuetzGmbH



E KD 03/23 \cdot 1.250 \cdot Production and model changes reserved \cdot All colors and sizes approximate. Supply of firearms only to the holders of purchasing permit \cdot Misprints, errors and prior sale also reserved @ ANSCHÜTZ

ANSCHÜTZ, the ANSCHÜTZ logo, the ANSCHÜTZ logo in connection with the words "Die Meister Macher" and "Einfach Eins Werden" (also in a different way of writing) are protected trademarks of J.G. ANSCHÜTZ GmbH & Co. KG, Ulm, Germany. The use of these symbols is prohibited without the consent of J.G. ANSCHÜTZ GmbH & Co. KG inadmissible and punishable by law.

