

Feinwerkbau



We create champions.

PRODUCT CATALOG

THE FEINWERKBAU ICONS

The Feinwerkbau icons provide a quick overview of the main features and characteristics of our sporting rifles and pistols.



The Feinwerkbau absorber is installed in this model for absolutely smooth release of the shot.



The swiveling match diopter is installed on this model. The adjustment way can be finely adjusted with 20 clicks.



The cocking lever can be mounted on the right or left side of this model.



This model has a precision stock made of high quality aluminum.



This model has a precision stock made of carefully selected wood.



The grip of this product can be adjusted three-dimensionally for better ergonomics.



The stock or some units on this product are coated with high-performance grip lacquer for a better feel.



The stock or grip of this model is suitable for right and left-handed shooters (ambidextrous).



Grips in sizes S, M or L are available for this model.



Grips in sizes S or M are available for this model.



Grips in sizes S or L are available for this model.



Grips in sizes XXS, XS, S, M or L are available for this model.



This model has a dry-firing mode.



The rear sight of this model is versatily adjustable.



This product is delivered in a lockable transport case.



This model can be customized in colour for an additional charge.



CONTENTS

AIR RIFLES _____ 4

900 ALU _____	5 - 7
900 W _____	8
900 ALU - BENCHREST _____	9
900 W - BENCHREST _____	10
900 ALU - HYBRID _____	11
900 W - HYBRID _____	12
800 X _____	13 - 14
800 W _____	15
800 ALU _____	16
800 UNIVERSAL _____	17
800 EVOLUTION TOP _____	18
800 EVOLUTION _____	19
800 JUNIOR _____	20
800 BASIC _____	21
800 X - BENCHREST _____	22
800 W - BENCHREST _____	23
800 ALU - BENCHREST _____	24
800 BASIC - BENCHREST _____	25
800 X/W/ALU - HYBRID _____	26 - 27
500 ALU _____	28
500/500 SHARK _____	29
P 75 SUMMER BIATHLON _____	30

SMALL-BORE RIFLES _____ 31

2800 ALU _____	32 - 33
2800 ALU X-CHANGE _____	34 - 35
2800 W _____	36 - 37
2800 ALU - BENCHREST _____	38
2800 W - BENCHREST _____	39

TECHNICAL DATA RIFLES _____ 40 - 41

AIR PISTOLS AND SPORTING PISTOLS _____ 42

P 8X/P 8X SHORT _____	43 - 45
P 11 _____	46
P 85/P 85 SHORT _____	47 - 49
AW 93 _____	50

SIMULATORS FOR SHOOTING WITH LIGHT _ 51

SIMULATOR RIFLE _____	52
SIMULATOR PISTOL/ACCESSORIES _____	53

TECHNICAL DATA PISTOLS/SIMULATORS _____ 54 - 55

OPTIONS FOR INDIVIDUALIZATION _____ 56 - 59

Visit our website www.feinwerkbau.de



1 AIR RIFLES

Feinwerkbau is inseparably linked with countless successes in sports shooting. Thanks to the experience of three generations in combination with the use of the latest technologies as well as the greatest possible care in manufacture, our products enjoy an excellent reputation worldwide.



THE 900 MODEL SERIES

THE NEW AGE OF SPORT SHOOTING!

Sophisticated technical features and a clear, timeless design are combined in the new 900 model series from Feinwerkbau.





CONVINCING PRODUCT FEATURES

- ✓ The further developed, adjustable absorber unit enables an individual pulse adjustment to the personal needs of the shooter.
- ✓ The Model 900 can be conveniently reloaded - more space for easy pellet insertion.
- ✓ The revised trigger unit has been optimized in terms of force distribution and consists of high-precision components made of HSS steel.
- ✓ The maintenance-free pressure reducer has been redesigned for even smoother system operation and ensures significantly reduced noise during firing.
- ✓ The optimized system bedding with double barrel clamping ensures highly precise groupings.
- ✓ The latest grip adjustment from Feinwerkbau enables almost all desired settings to be made.
- ✓ The sliding prism clamping of the Vario sight allows quick assembly and disassembly of the complete rear sight and is thus ideal for protecting sensitive attachments during transport.



900 ALU SILVER


Design meets precision.

High-quality components combine to create a high-precision air rifle.

A wide range of adjustment options ensure optimum ergonomics.

This creates a new pacesetter in the field of match air rifles!

AVAILABLE OPTION
900 ALU BLACK



BASIC TECHNICAL DATA


Total Weight Approx.	4.5 kg
Total Length Approx.	1,042 - 1,170 mm
Sight line length	610 - 970 mm
Stock length	745 - 820 mm
Trigger weight	30 - 160 g / 80 - 250 g
Length of pull	275 - 360 mm



900 W LAMINATED WOOD ORANGE

The 900 W model combines the unique feel of a wooden stock with the comfortable adjustment options that are otherwise only known from aluminum stocks. The stock made from exclusive woods, together with the optimized system bedding with double barrel clamping offers ideal conditions for the best results.

AVAILABLE OPTION
900 W WALNUT



BASIC TECHNICAL DATA

Total Weight Approx.	4.3 kg
Total Length Approx.	1,042 - 1,170 mm
Sight line length	610 - 970 mm
Stock length	745 - 820 mm
Trigger weight	30 - 160 g / 80 - 250 g
Length of pull	275 - 360 mm




900 ALU - BENCHREST

SILVER

 AVAILABLE OPTION
900 ALU - BENCHREST BLACK

Even in the benchrest version, the 900 model series impresses with quality, functionality and precision. A match air rifle that meets all the requirements of this in this demanding discipline – without compromise!



Ideal for benchrest shooters:
Also available with left-hand system in the right-hand stock (and vice versa) – this allows comfortable reloading in benchrest shooting!

BASIC TECHNICAL DATA

Total Weight Approx.	4.7 kg
Total Length Approx.	1,042 - 1,170 mm
Sight line length	610 - 970 mm
Stock length	745 - 880 mm
Trigger weight	30 - 160 g / 80 - 250 g
Length of pull	275 - 360 mm



900 W - BENCHREST WALNUT

The benchrest version of the stock made from carefully selected woods also offers ideal conditions for demanding shooters. Quality, functionality and precision in a stock with a unique feel and comfortable adjustment options.

raised **Cheek Piece**
for benchrest shooting
can be moved laterally
via fine adjustment in
the stop - reaction to
changed conditions at the
shooting range is possible
without loss of time

Sliding prism clamping
allows quick mounting and
dismounting of the complete sight
unit and is thus ideal for protecting
sensitive attachments during transport

Cocking lever
can be swiveled and
rotated 360°, can be
mounted on right or
left side

more space
for easy
pellet insertion

optimized
system bedding

NEW

revised **Match Trigger**
made of HSS components
with excellent kinetic
properties

special wooden
support bar steplessly
inclined, longitudinally
slidable

Ideal for benchrest shooters:
Also available with left-hand
system in the right-hand stock
(and vice versa) – this allows
comfortable reloading in
benchrest shooting!

Anatomically shaped 3D Grip
made of beech wood. Three-dimensionally
adjustable, longitudinally and laterally
adjustable, available in sizes S, M and L

**Butt Plate
X-Line**



BASIC TECHNICAL DATA

Total Weight Approx.	4.8 kg
Total Length Approx.	1,042 - 1,170 mm
Sight line length	610 - 970 mm
Stock length	745 - 820 mm
Trigger weight	30 - 160 g / 80 - 250 g
Length of pull	275 - 360 mm



900 ALU - HYBRID SILVER

The ideal companion for those who compete in both freehand and benchrest disciplines in shooting sports. One model – two uses!

900 ALU - HYBRID BLACK AVAILABLE OPTION



- raised Cheek Piece**
for benchrest shooting can be moved laterally via fine adjustment in the stop - reaction to changed conditions at the shooting range is possible without loss of time
- Sliding prism clamping**
allows quick mounting and dismounting of the complete sight unit and is thus ideal for protecting sensitive attachments during transport
- Cocking lever**
can be swiveled and rotated 360°, can be mounted on right or left side
- more space for easy pellet insertion**
- optimized system bedding**
- revised Match Trigger**
made of HSS components with excellent kinetic properties
- specially designed hand rest** for use in benchrest and freehand shooting
- Support bar**
made of aluminum, swiveling, length adjustable
- Anatomically shaped 3D grip**
made of beech wood. Three-dimensionally adjustable, longitudinally and laterally adjustable, available in sizes S, M and L
- Butt Plate X-Line**

BASIC TECHNICAL DATA

Total Weight Approx.	4.9 kg
Total Length Approx.	1,042 - 1,170 mm
Sight line length	610 - 970 mm
Stock length	745 - 880 mm
Trigger weight	30 - 160 g / 80 - 250 g
Length of pull	275 - 360 mm



900 W - HYBRID WALNUT

One air rifle - many possibilities. The 900 W HYBRID model offers all shooters who compete in both freehand and benchrest disciplines optimum conditions for the best results. Convenient adjustment options are combined with the unique feel of a wooden stock in this model.

900 W - HYBRID LAMINATED WOOD ORANGE

AVAILABLE OPTION



BASIC TECHNICAL DATA

Total Weight Approx.	5.0 kg
Total Length Approx.	1,042 - 1,170 mm
Sight line length	610 - 970 mm
Stock length	745 - 820 mm
Trigger weight	30 - 160 g / 80 - 250 g
Length of pull	275 - 360 mm



800 MODEL SERIES

FEINWERKBAU SETS STANDARDS IN SPORTS SHOOTING

Determining air rifle technology for shooting competitions. Feinwerkbau sets standards where quality, functionality, design and accuracy are concerned.



CONVINCING PRODUCT FEATURES:


- ✓ The maintenance-free pressure reducer of the 800 series together with the patented Feinwerkbau absorber provide a smooth release of the shot.
- ✓ Visually, the Model 800 captivates with an elegant design with the striking Feinwerkbau lines.
- ✓ On the 800 X model, the butt stock can be converted from right to left without the need for tools. The cheek piece has two contact angles (pointed and rounded) and can be rotated by 180°. This allows the shooter to determine the optimum contact angle for his own needs.
- ✓ Numerous models in the 800 series offer ideal conditions for shooters in all disciplines.



800 X BLACK

The model 800 X impresses with well-thought-out product features and numerous setting options. Best conditions for best results in shooting sports.

AVAILABLE OPTION
800 X RED



BASIC TECHNICAL DATA:

Total Weight Approx.	4.8 kg
Total Length	1,075 - 1,190 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 840 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



*if colour is black



800 W WALNUT

The model 800 W combines the advantages of a wooden stock with the comfortable adjustment options of an aluminium stock. A unique feel combined with all the technical highlights of the 800 series.

AVAILABLE OPTIONS



Laminated Wood Orange

Black



BASIC TECHNICAL DATA:

Total Weight Approx.	4.3 kg
Total Length	1,050 - 1,145 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 840 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



*if colour is black


Subject to technical changes and deviations in design. Some of the models are shown with special accessories.
You can find accessories for our sport rifles and pistols in our accessories catalog or at www.feinwerkbau.de.



800 ALU BLACK

The innovative system of the 800 series in an aluminium stock with various possible settings.

AVAILABLE OPTION
800 ALU RED



BASIC TECHNICAL DATA:

Total Weight Approx.	4.6 kg
Total Length	1065 - 1157 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 805 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




*if colour is black



800 UNIVERSAL

The innovative system of the 800 series in the proven stock made of warp-free laminated wood.

AVAILABLE OPTIONS



BASIC TECHNICAL DATA:


Total Weight Approx.	4.6 kg
Total Length	1,085 - 1,120 mm
Sight Line Length	750 - 825 mm
Stock Length	770 - 810 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 EVOLUTION TOP BLUE

The model 800 Evolution Top is designed for versatile and flexible use in shooting sport. The system of the 800 series in a slim aluminium stock with high-quality basic equipment.

AVAILABLE OPTIONS



BASIC TECHNICAL DATA:

Total Weight Approx.	3.8 kg
Total Length	1,078 - 1,173 mm
Sight Line Length	610 - 950 mm
Stock Length	725 - 770 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 EVOLUTION BLUE

The perfect air rifle for versatile and flexible use on shooting sport – not least because of various upgrade possibilities.

800 EVOLUTION BLACK

AVAILABLE OPTION



BASIC TECHNICAL DATA:

Total Weight Approx.	3.4 kg
Total Length	1,052 - 1,095 mm
Sight Line Length	750 - 825 mm
Stock Length	700 - 745 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




800 JUNIOR BLUE / GREY

Various adjustment possibilities, as well as the full-fledged system of the 800 series, enable young talents to achieve the best results at the shooting range.

800 JUNIOR RED / WHITE

AVAILABLE OPTIONS



BASIC TECHNICAL DATA:

Total Weight Approx.	3.5 kg
Total Length	1,075 - 1,100 mm
Sight Line Length	750 - 825 mm
Stock Length	760 - 780 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 BASIC

The economical alternative for all shooters who value the precision of the 800 series and want to combine it with versatility.



BASIC TECHNICAL DATA:

Total Weight Approx.	3.9 kg
Total Length	1,100 - 1,125 mm
Sight Line Length	750 - 825 mm
Stock Length	790 - 815 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




800 X - BENCHREST

WALNUT

Determining air rifle technology also in a benchrest version. The standard where quality, functionality, design and accuracy are concerned.

AVAILABLE OPTION
800 X - BENCHREST **BLACK**



BASIC TECHNICAL DATA:

Total Weight Approx.	5.0 kg
Total Length	1,075 - 1,190 mm
Sight Line Length	610 - 950 mm
Stock Length	835 - 900 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



*if colour is black




800 W - BENCHREST

LAMINATED WOOD ORANGE

The model 800 W combines the advantages of a wooden stock with the comfortable adjustment options of an aluminium stock – also in the benchrest version.

AVAILABLE OPTIONS



BASIC TECHNICAL DATA:


Total Weight Approx.	5.2 kg
Total Length	1,070 - 1,165 mm
Sight Line Length	610 - 950 mm
Stock Length	835 - 875 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 ALU - BENCHREST BLACK

The system of the 800 series with all necessary adjusting possibilities for the challenging benchrest discipline.

800 ALU - BENCHREST ^{AVAILABLE OPTION} RED



BASIC TECHNICAL DATA:

Total Weight Approx.	4.7 kg
Total Length	1,065 - 1,157 mm
Sight Line Length	610 - 950 mm
Stock Length	770 - 870 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g




*only for colour option black



800 BASIC - BENCHREST

No compromises in the technology of the 800 series system - versatile setting options, also in the affordable benchrest version.



BASIC TECHNICAL DATA:

Total Weight Approx.	4.1 kg
Total Length	1,110 mm
Sight Line Length	780 - 870 mm
Stock Length	850 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g



800 - HYBRID

Because of the reorganization of the age groups in the set of rules of the German Shooting Federation (DSB), shooters can now earlier participate in the benchrest disciplines. Numerous shooters take advantage of these new rules and additionally shoot in regular match disciplines. With the hybrid models by Feinwerkbau, you can choose what discipline you want to enter.

The new hand rest allows secure handling of the air rifle in all disciplines. Additionally, all hybrid models come with a multi-adjustable support bar. One rifle – various possibilities – and of course made in the familiar high Feinwerkbau quality.

The following models are available as a hybrid version at attractive conditions.

800 X - HYBRID

AVAILABLE IN
BLACK OR **RED**

A detailed description of the product specifications of model series 800 X can be found on page 14 / 15.



800 W - HYBRID

AVAILABLE IN
WALNUT / BLACK OR LAMINATED WOOD ORANGE

A detailed description of the product specifications of model series 800 W can be found on page 16.



800 ALU - HYBRID


AVAILABLE IN
BLACK OR RED

A detailed description of the product specifications of model series 800 ALU can be found on page 17.



500 ALU

The 500 series combines easy handling with the proven quality and precision of Feinwerkbau – a model in an aluminium stock at an attractive entry-level price.



BASIC TECHNICAL DATA:

Total Weight Approx.	3.3 kg
Total Length	1,052 - 1,095 mm
Sight Line Length	750 - 825 mm
Stock Length	715 - 760 mm
Trigger Weight Approx.	50 - 90 g / 60 - 150 g



500

In the wooden stock, model 500 also cuts a good figure. Whether classic in beech or exciting in black – an all-rounder for customers with a keen eye on costs.

AVAILABLE OPTION
500 SHARK



BASIC TECHNICAL DATA:

Total Weight Approx.	3.2 kg
Total Length	1,085 mm
Sight Line Length	750 - 825 mm
Stock Length	780 mm
Trigger Weight Approx.	50 - 90 g / 60 - 150 g



*only for option "Shark"




P 75 SUMMER BIATHLON

RED / WHITE

The best equipment in summer biathlon sports.

AVAILABLE OPTION
P 75 SUMMER BIATHLON **BLUE / GREY**



ACCESSORIES

With the conversion kit for Target Sprint (3.2.018.374) and the magazine for Target Sprint (3.2.018.359), the P75 model can also be used as a single-shot rifle.

BASIC TECHNICAL DATA:

Total Weight Approx.	4.2 kg
Total Length	1,060 - 1,090 mm
Sight Line Length	770 - 815 mm
Stock Length	753 - 783 mm
Trigger Weight Approx.	500 g



② SMALL-BORE RIFLES

Feinwerkbau also makes no compromises when it comes to small-bore rifles. Thought-out construction plans and the highest demands in the production of individual parts as well as the long-term experience of our employees lead to high-precision and durable products. But the breathtaking design and impressive shooting performance also create enthusiasm in shooting sports.



2800 MODEL SERIES

FEINWERKBAU REDEFINES SMALL-BORE SHOOTING.

The model series 2800 might have the shortest breech in the match range.

The center of gravity has been shifted significantly towards the shooter

– this allows the model to be easily adapted to your own needs.

Best conditions for prone shooting as well as for all disciplines in

small-bore shooting. Top results while using superb quality

Feinwerkbau products.




CONVINCING PRODUCT FEATURES:

- ✓ Revolutionary new precision breech – the bolt on model 2800 was significantly shifted backwards towards the shooter.
- ✓ The bolt lever can be used either on the right or left side of the bolt and can be converted without the need of tools.
- ✓ The center of gravity is close to the shooter's body.
- ✓ The lateral adjustment of the cheek piece in the aiming position is possible with a fine adjustment.
- ✓ The damper ring allows to customize the shooting behaviour.
- ✓ The 3D shaped grip made of wood is adjustable in three dimensions and shiftable in longitudinal and lateral direction.



2800 ALU

The model 2800 Alu comes with a precision aluminium stock with numerous setting options – the flagship in the range of small-bore rifles for best results in shooting sport.



BASIC TECHNICAL DATA:


Total Weight Approx.	5.9 kg
Total Length	1,140 - 1,185 mm
Sight Line Length	650 - 880 mm
Stock Length	800 - 845 mm
Trigger Weight Approx.	60 - 150 g



2800 ALU X-CHANGE

WITH SEPARABLE STOCK.


The model 2800 X-CHANGE has the same technical features as the model 2800 ALU (see p. 35). The buttstock on this model can be separated from the front stock and exchanged without tools. The conversion time in the three-position fight is reduced to an absolute minimum – so more test shots are possible during the preparation time in the final!



CONVINCING PRODUCT FEATURES:

- ✓ The buttstock can be separated without tools from the front-stock at the joint.
- ✓ Grip, cheek piece, butt plate and butt stock can be removed and changed in one piece.
- ✓ Firm hold thanks to an absolutely precise clamp connection.





BASIC TECHNICAL DATA:

Total Weight Approx.	5.9 kg
Total Length	1,140 - 1,185 mm
Sight Line Length	650 - 880 mm
Stock Length	800 - 845 mm
Trigger Weight Approx.	60 - 150 g



2800 W LAMINATED WOOD ORANGE

The model 2800 W combines the advantages of a wooden stock with the comfortable adjustment options of an aluminium stock. A unique feel combined with all the technical highlights of the 2800 series.




BASIC TECHNICAL DATA:

Total Weight Approx.	5.4 kg
Total Length	1,140 - 1,180 mm
Sight Line Length	650 - 880 mm
Stock Length	860 - 890 mm
Trigger Weight Approx.	60 - 150 g



AVAILABLE OPTION
2800 W WALNUT




IN THE SPOTLIGHT: THE NEW BREECH

- ✓ Revolutionary new precision breech – the bolt on model 2800 was significantly shifted backwards towards the shooter.
- ✓ The short breech brings the loading tray directly above the trigger shoe.
- ✓ The breech is guided on two rods which at the same time allow an ideal and comfortable loading situation.
- ✓ Best conditions for prone shooting as well as for all disciplines in small-bore shooting.



2800 ALU - BENCHREST

No compromises in the challenging benchrest discipline. The extremely short breech is convertible from right to left without tools. Thus series 2800 can be easily loaded from both sides - only one highlight of model 2800 benchrest.



BASIC TECHNICAL DATA:

Total Weight Approx.	6.7 kg
Total Length	1,145 - 1,195 mm
Sight Line Length	650 - 960 mm
Stock Length	832 - 885 mm
Trigger Weight Approx.	60 - 150 g



2800 W - BENCHREST

WALNUT

Also in the wooden stock the model 2800 cuts a good figure. Whether in walnut or laminated wood – maximum precision with a breathtaking design.

2800 W - BENCHREST AVAILABLE OPTION LAMINATED WOOD ORANGE



BASIC TECHNICAL DATA:

Total Weight Approx.	5.7 kg
Total Length	1,160 - 1,200 mm
Sight Line Length	650 - 960 mm
Stock Length	860 - 890 mm
Trigger Weight Approx.	60 - 150 g



MODEL		Total Length mm**	Total Height mm**	Sight Length mm**	Sight Height From Barrel Centre mm**	Barrel Length mm**	Barrel Ø Caliber mm	Total Weight kg**
900 ALU („HYBRID“)		1,042 - 1,170	215 - 340	610 - 970	27 40 - 60*	425	15 4.5 mm / .177	4.5 (4.9)
900 W („HYBRID“)		1,042 - 1,170	215 - 340	610 - 970	27 40 - 60*	425	15 4.5 mm / .177	4.3 (5.0)
900 ALU - BENCHREST		1,042 - 1,170	215 - 340	610 - 970	27 40 - 60*	425	15 4.5 mm / .177	4.7
900 W - BENCHREST		1,042 - 1,170	215 - 340	610 - 970	27 40 - 60*	425	15 4.5 mm / .177	4.8
800 X („HYBRID“)		1,075 - 1,190	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.8 (5.0)
800 W („HYBRID“)		1,050 - 1,145	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.3 (4.9)
800 ALU („HYBRID“)		1,065 - 1,157	220 - 300	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.6 (4.9)
800 UNIVERSAL		1,085 - 1,120	210 - 240	750 - 825	27	425	15 4.5 mm / .177	4.6
800 EVOLUTION („TOP“)		1,052 - 1,095 (1,078 - 1,173)	210 - 235 (225 - 285)	750 - 825 (610 - 950)	27	425	15 4.5 mm / .177	3.4 (3.8)
800 JUNIOR		1,075 - 1,100	210 - 235	750 - 825	27	425	15 4.5 mm / .177	3.5
800 BASIC		1,100 - 1,125	210 - 235	750 - 825	27	425	15 4.5 mm / .177	3.9
800 X - BENCHREST		1,075 - 1,190	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	5.0
800 W - BENCHREST		1,070 - 1,165	220 - 320	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	5.2
800 ALU - BENCHREST		1,065 - 1,157	220 - 300	610 - 950	27 40 - 60*	425	15 4.5 mm / .177	4.7
800 BASIC - BENCHREST		1,110	220 - 300	780 - 870	40	425	15 4.5 mm / .177	4.1
500 ALU		1,052 - 1,095	210 - 235	750 - 825	27	425	15 4.5 mm / .177	3.3
500 / 500 SHARK		1,085	210 - 215	750 - 825	27	425	15 4.5 mm / .177	3.2
P 75 SUMMER BIATHLON		1,060 - 1,090	250	770 - 815	27	425	15 4.5 mm / .177	4.2
2800 ALU / X-CHANGE		1,140 - 1,185	220 - 260	650 - 880	45	670	22 .22 l. r.	5.9
2800 W		1,140 - 1,180	220 - 260	650 - 880	45	670	22 .22 l. r.	5.4
2800 ALU - BENCHREST		1,145 - 1,195	230 - 260	650 - 960	48	670	22 .22 l. r.	6.7
2800 W - BENCHREST		1,160 - 1,200	230 - 270	650 - 960	48	670	22 .22 l. r.	5.7

*Adjustment possibilities with vario-sight. / **All data are approximate.



MODEL	Stock	Stock Length mm**	Trigger Weight g**	Longitudinal Trigger Adj. mm	Length of Barrel Sleeve mm	Barrel Sleeve Ø mm**	Shooting Velocity V ₀ m / sec	Length of Pull mm
900 ALU („HYBRID“)	Aluminium Anodised	745 - 820 (745 - 880)	30 - 160, 80 - 250	27	585	19.7	170 - 175	275 - 360
900 W („HYBRID“)	Walnut / Laminated Wood Orange	745 - 820	30 - 160, 80 - 250	27	585	19.7	170	275 - 360
900 ALU - BENCHREST	Aluminium Anodised	745 - 880	30 - 160, 80 - 250	27	585	19.7	170 - 175	275 - 360
900 W - BENCHREST	Walnut / Laminated Wood Orange	745 - 820	30 - 160, 80 - 250	27	585	19.7	170	275 - 360
800 X („HYBRID“)	Aluminium Anodised	770 - 840 (770 - 900)	30 - 90, 60 - 150	27	585	19.7	170 - 175	308 - 390
800 W („HYBRID“)	Walnut Grip Varnish	745 - 795 (745 - 860)	30 - 90, 60 - 150	27	585	19.7	170 - 175	285 - 343
800 ALU („HYBRID“)	Aluminium anodised	770 - 805 (770 - 865)	30 - 90, 60 - 150	27	585	19.7	170 - 175	283 - 355
800 UNIVERSAL	Laminated Wood	780 - 810	30 - 90, 60 - 150	27	585	19.7	170 - 175	303 - 356
800 EVOLUTION („TOP“)	Aluminium Anodised	700 - 745 (725 - 770)	30 - 90, 60 - 150	27	585	19.7	170 - 175	270 - 348 (296 - 363)
800 JUNIOR	Laminated Wood	760 - 780	30 - 90, 60 - 150	27	585	19.7	170 - 175	286 - 337
800 BASIC	Beech	790 - 815	30 - 90, 60 - 150	27	585	19.7	170 - 175	308 - 360
800 X - BENCHREST	Aluminium Anodised	835 - 900	30 - 90, 60 - 150	27	585	19.7	170 - 175	308 - 390
800 W - BENCHREST	Walnut Grip Varnish	830 - 875	30 - 90, 60 - 150	27	585	19.7	170 - 175	300 - 358
800 ALU - BENCHREST	Aluminium Anodised	770 - 870	30 - 90, 60 - 150	27	585	19.7	170 - 175	283 - 355
800 BASIC - BENCHREST	Beech	850	30 - 90, 60 - 150	27	585	19.7	170 - 175	301 - 328
500 ALU	Aluminium Anodised	715 - 760	30 - 90, 60 - 150	27	585	19.7	170 - 175	270 - 346
500 / 500 SHARK	Beech Grip Varnish	780	30 - 90, 60 - 150	27	585	19.7	170 - 175	299 - 326
P 75 SUMMER BIATHLON	Laminated Wood	753 - 783	500	27	622	19.7	170 - 175	278 - 326
2800 ALU / X-CHANGE	Aluminium Anodised	800 - 845	60 - 150	27	/	/	/	285 - 360
2800 W	Walnut	860 - 890	60 - 150	27	/	/	/	293 - 364
2800 ALU - BENCHREST	Aluminium Anodised	832 - 885	60 - 150	27	/	/	/	300 - 375
2800 W - BENCHREST	Walnut	860 - 890	60 - 150	27	/	/	/	308 - 379

*Adjustment possibilities with vario-sight. / **All data are approximate.



A person wearing a white shooting jacket and a blue visor is aiming an air pistol. The background is a blurred indoor shooting range.

3

AIR PISTOLS AND SPORTING PISTOLS

We only use the latest technology in the manufacture of our products. High-quality components are made of high-quality raw materials on the latest CNC machining centres. The years of experience and the technical know-how of our employees ensure that our products lead to the best results. Our pistols also impress with the highest quality and stunning shooting performance.

AIR PISTOL P 8X

THE TRENDSETTER IN MATCH AIR PISTOLS.

Feinwerkbau makes no compromises with the P 8X model series. The sighting line lies deep in the shooter's hand and the versatile adjustment options leave nothing to be desired. Optimum conditions for the best results in the air pistol discipline.



CONVINCING PRODUCT FEATURES:


- ✓ Absorber with patented operating principle.
- ✓ The position of the 3-D shaped grip can be adjusted from the outside via set screws without having to dismount the grip from the pistol. The highlight: When changing the grip, the settings are preserved in the grip!
- ✓ The maintenance-free pressure reducer ensures exceptional behavior in the shot!
- ✓ The P8X model series convinces with exceptionally precise groupings.
- ✓ The precision rear sight allows for cant compensation and the rear sight width can be continuously adjusted in width.



P 8X LAMINATED WOOD ORANGE

The revolution in the field of match air pistols made by Feinwerkbau. Innovative features interacting with high quality materials and a breathtaking design set new standards in air pistols.

AVAILABLE OPTION
P 8X WALNUT



BASIC TECHNICAL DATA:

	P 8X	P 8X SHORT
Total Weight Approx.	0.95 kg	0.87 kg
Total Length	415 mm	370 mm
Sight Line Length	330 - 400 mm	280 - 350 mm
Sight Height From Barrel Centre	14.5 mm	14.5 mm
Trigger Weight Approx.	500 g	500 g



*only for colour option Laminated Wood Orange | **only for colour option Walnut



AVAILABLE OPTION
P 8X MESHPRO



AVAILABLE OPTION
P 8X SHORT ORANGE



AVAILABLE OPTION
P 8X SHORT WALNUT



AVAILABLE OPTION
P 8X BENCHREST WALNUT



AVAILABLE OPTION
P 8X SHORT MESHPRO



P 11

Small pistol, big performance. Model P11 convinces with high-quality manufacturing, a great accuracy and the familiar precise Feinwerkbau quality.




On request, the model P11 can be upgraded with a 3D shaped grip in the left- or right-hand version (sight extension is needed).



BASIC TECHNICAL DATA:

Total Weight Approx.	0.73 kg
Total Length	345 mm
Sight Line Length	290 mm
Sight Height From Barrel Centre	16 mm
Trigger Weight Approx.	500 g



AIR PISTOL P 85

THE PERFECT COMPANION FOR ALL AIR PISTOL SHOOTERS IN DYNAMIC DISCIPLINES.

CONVINCING PRODUCT FEATURES

- ✓ The new design of the 5-shot air pistol combines technical functionality with a breathtaking design and exceptional accuracy.
- ✓ The perfect companion for dynamic air pistol disciplines up to 25 m.
- ✓ The perfect training pistol for the "Olympic rapid fire pistol" discipline. Highest precision combined with significantly lower ammunition costs compared to small bore ammunition.



- ✓ Available in two power versions: 7.5 joules (permit-free in Germany with "F in pentagon") and 11 joules for longer distances.
- ✓ The cocking lever enables comfortable, effortless cocking.
- ✓ Versatile adjustable precision rear sight with coarse and fine adjustment, height and side adjustment, cant compensation and width and height-adjustable rear sight notch.
- ✓ High-precision match trigger: first stage weight, trigger point weight and trigger stop are independently adjustable.
- ✓ Relief holes on the barrel ensure an incomparably smooth shot release.
- ✓ Shots can only be fired when the magazine is inserted, ensuring maximum safety for the shooter.
- ✓ Supplied with 2 compressed air cylinders, 5-shot magazine, 1-shot/training magazine in a high-quality transport case with combination lock.
- ✓ Versatile adjustable Vario trigger blade made of steel
- three-dimensionally adjustable and height-adjustable up to 4 mm.



P 85 LAMINATED WOOD ORANGE


The new 5-shot match air pistol from Feinwerkbau.
High-quality components, the know-how of three generations and a breathtaking design come together to create a new pace-setter for the dynamic disciplines.

AVAILABLE OPTION
P 85 WALNUT



BASIC TECHNICAL DATA:

	P 85	P 85 SHORT
Total Weight Approx.	0.98 kg	0.93 kg
Total Length	415 mm	367 mm
Sight Line Length	337 - 394 mm	289 - 346 mm
Sight Height From Barrel Centre	15.2 mm	15.2 mm
Trigger Weight Approx.	500 g	500 g



*only for colour option Laminated Wood Orange | **only for colour option Walnut



AVAILABLE OPTION

P 85 MESHPRO



AVAILABLE OPTION

P 85 SHORT MESHPRO



AVAILABLE OPTION

P 85 SHORT WALNUT



AVAILABLE OPTION

P 85 SHORT ORANGE



AW 93

The sporting pistol AW 93 comes with a system for the balance of masses and provides a unique feeling for the shot for best results.



AVAILABLE OPTION AW 93 LIGHT



BASIC TECHNICAL DATA:

	AW 93	AW 93 LIGHT
Total Weight Approx.	1.14 kg [with Magazine]	1.08 kg [with Magazine]
Total Length	285 mm	285 mm
Sight Line Length	217 mm	217 mm
Sight Height From Barrel Centre	20 mm	20 mm
Trigger Weight Approx.	1,000 g	1,000 g





④ SIMULATORS FOR SHOOTING WITH LIGHT

Feinwerkbau also makes no compromises for the shooter's offspring. Excellent workmanship, high-quality components of our match-products and experience from three generations. Best conditions for professional training in light shooting right from the start.



SIMULATOR RIFLE ALU


In the high-quality aluminium stock, the simulator offers larger adjustment ranges and thus an even more flexible use in youth work.



*if option is wood | **if option is Alu

SIMULATOR RIFLE

The simulator in a wooden stock offers best conditions for the shooter's offspring in a professional training in light shooting at an affordable price.



BASIC TECHNICAL DATA:

	SIMULATOR RIFLE ALU	SIMULATOR RIFLE
Total Weight Approx.	2.3 kg	1.8 kg
Total Length	890 - 940 mm	850 - 885 mm
Sight Line Length	540 - 620 mm	565 - 620 mm
Stock Length	630 - 680 mm	648 - 683 mm
Trigger Weight Approx.	30 - 90 g / 60 - 150 g	30 - 90 g / 60 - 150 g



SIMULATOR PISTOL

In this simulator pistol high-quality components out of the match-sector are used.
Best conditions for a professional and sustainable youth work.

Rear Sight swiveling for tilt compensation and with exchangeable rear sight blade (series = 4.2mm wide)

Cocking Lever

Front Sight interchangeable

Ambidextrous Grip made of beech wood with grip lacquer available in two sizes (S or M)

Adapter For The Laser (already integrated in the simulator)

Full-Fledged Feinwerkbau Match-Trigger with various possibilities of adjustment

ACCESSORIES FOR SIMULATORS

The simulator pistol and rifle are available individually or as part of a complete package with laser, laser target with evaluation software "RedDot View", adapter frame (for simulator pistol) and optional with the display unit "Mini View II".



Laser Target



Display Unit "Mini View II"




Laser

Adapter for Holding the Laser













Evaluation Software "RedDot View"



BASIC TECHNICAL DATA:

Total Weight Approx.	0.4 kg
Total Length	270 mm
Sight Line Length	240 mm
Trigger Weight Approx.	500 g



MODEL		Total Length mm**	Total Height mm**	Sight Line Length mm**	Sight Height From Barrel Centre mm**	Barrel Length mm**	Barrel Diameter mm**	Caliber	Total Weight kg**	Grip
P 8X		415	145	330 - 400 (INFINITELY VARIABLE)	14.5	218	12	4.5 mm / .177	0.95	Walnut
P 8X SHORT		370	150	280 - 350 (INFINITELY VARIABLE)	14.5	170	12	4.5 mm / .177	0.87	Walnut
P 11		345	135	290	16	183	12	4.5 mm / .177	0.73	Beech
P 85		415	145	337 - 394 (INFINITELY VARIABLE)	15.2	255	12	4.5 mm / .177	0.98	Walnut / Laminated Wood / MeshPro
P 85 SHORT		367	145	289 - 346 (INFINITELY VARIABLE)	15.2	177	12	4.5 mm / .177	0.93	Walnut / Laminated Wood / MeshPro
AW 93		285	145	217	20	152	15	.22 l.r.	1.14 with Mag.	Walnut
AW 93 LIGHT		285	145	217	20	152	15	.22 l.r.	1.08 with Mag.	Walnut
SIMULATOR RIFLE ALU		890 - 940	190 - 215	540 - 620	27	/	/	/	2.25	Beech
SIMULATOR RIFLE		850 - 885	200 - 205	565 - 620	27	/	/	/	1.8	Beech
SIMULATOR PISTOL		270	125	240	16	/	/	/	0.4	Beech

**All data are approximate.



MODEL	Grip Adjustment	Propellent Charge	Trigger Weight g**	Longitudinal Trigger Adj. mm**	Quantity of Shots	Shooting Velocity V ₀ m/sec	Rear Sight	Front Sight	Quantity of Shots / Cylinder**
P 8X	versatily adjustable	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	28 altitutinal trigger adj. 4 mm	1	145 - 155	Rear sight notch adjustable in width 2 - 8.5 mm Rear sight notch adjustable in height 1.8 - 3.5 mm	block-type front sight 3.6/3.9/ 4.2 / 4.5/4.8/5.1	160 at 200 bar
P 8X SHORT	versatily adjustable	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	28 altitutinal trigger adj. 4 mm	1	145 - 155	Rear sight notch adjustable in width 2 - 8.5 mm Rear sight notch adjustable in height 1.8 - 3.5 mm	block-type front sight 3.6/3.9/ 4.2 / 4.5/4.8/5.1	120 at 200 bar
P 11	10° to swivel, ± 3° to twist, tilting balance ±15° via sighting	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	22	1	145 - 155	adjustable 2.5 - 5.0 mm	block-type front sight 3.4/3.8/4.2/ 4.6/5.0	100 at 200 bar
P 85	versatily adjustable	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	28 altitutinal trigger adj. 4 mm	5	145 - 155	Rear sight notch adjustable in width 2 - 8.5 mm Rear sight notch adjustable in height 1.8 - 3.5 mm	block-type front sight 3.6/3.9/ 4.2 / 4.5/4.8/5.1	140 at 200 bar
P 85 SHORT	versatily adjustable	compressed air	Trigger slack weight and trigger point weight separately adjustable 500	28 altitutinal trigger adj. 4 mm	5	145 - 155	Kimmenausschnitt in Breite verstellbar 2 - 8,5 mm Rear sight notch adjustable in height 1.8 - 3.5 mm	block-type front sight 3.6/3.9/ 4.2 / 4.5/4.8/5.1	100 at 200 bar
AW 93	adjustable hand rest	rim fire .22 l.r.	Trigger slack weight and trigger point weight separately adjustable 1,000	14	5 + 1	280 - 320	adjustable 2.5 - 5.0 mm	interchangeable 3.8/4.8	/
AW 93 LIGHT	adjustable hand rest	rim fire .22 l.r.	Trigger slack weight and trigger point weight separately adjustable 1,000	14	5 + 1	280 - 320	adjustable 2.5 - 5.0 mm	interchangeable 3.8/4.8	/
SIMULATOR RIFLE ALU	12 mm longitudinal adjustment, +/- 5 ° rotatable	/	30 - 90 60 - 150	27	/	/	/	/	/
SIMULATOR RIFLE	/	/	30 - 90 60 - 150	27	/	/	/	/	/
SIMULATOR PISTOL	10° to swivel, ± 3° to twist, tilting balance ±15° via sighting	/	Trigger slack weight and trigger point weight separately adjustable 500	22	/	/	adjustable 2.5 - 5.0 mm	block-type front sight 3.4/3.8/4.2/ 4.6/5.0	/

**All data are approximate.



OPTIONS FOR INDIVIDUALIZATION

CENTRA PRECISION SIGHTING



On request, we deliver the 900 and 2800 model series ex works with Centra precision sights. The Centra "SPY-long" sight (or "SPY BR" for benchrest rifles) is extremely narrow and compact in design and allows ideal space acquisition for balanced standing freehand and on the bench. The "SPY" series of sights are ideal for shooting in windy conditions and are equipped with a backlight aperture that can also be used as a carrier element for the "Duplex".

The "SPY-long" sight has 24 clicks (approx. 0.2 mm per click at 10 m), the "SPY-BR" has 48 clicks (approx. 0.1 mm per click at 10 m). In addition, the front sight "Centra Score" (or "Centra Score Plus" for benchrest rifles) M22 with a clear front sight is also included. This can be swiveled steplessly around its own axis without tools and enables a pleasantly elegant target image.



GRIPS, CHEEK PIECE AND HAND REST "MESHPRO"



MeshPro grips are not only a real eye-catcher, they also offer the user clear advantages over conventional grips. Due to the grid structure (mesh) produced in the additive manufacturing process, material and thus weight is saved. In addition to maximum stability, this mesh structure also ensures permanent ventilation of the grips.

The grips are available as right or left version in sizes S, M or L for model series 900, 2800 and P 8X. Already ex works, with the option "MeshPro", you can order your sporting rifle with the set of grip, cheek piece and hand rest in this revolutionary mesh structure on request.



EVEN MORE INDIVIDUALIZATION? NO PROBLEM!

Upon request, you can order your sporting rifle in one of 13 exciting special anodized colours. This kind of individualization gives your sporting rifle a very special touch, both visually and haptically! Make your model truly unique and cause a stir at the shooting range!

The following models can be ordered in your favourite colour:

- 900 ALU
- 900 ALU - BENCHREST
- 900 ALU - HYBRID
- 800 X
- 800 X - BENCHREST
- 2800 ALU
- 2800 ALU - X-CHANGE
- 2800 ALU - BENCHREST





gold



lemon



orange bright



orange dark



red



violet bright



violet dark



blue bright



blue dark



green



champagne



titan



brown

PLEASE NOTE:

- The delivery time for customized models is extended.
- For technical reasons, slight colour deviations are possible.
- For printing reasons, the colours shown here are not colour-binding but only serve as a guide for the respective colours.
- The individualized models are made-to-order - exchanges, returns, etc. are therefore excluded.



Quality
„Made in Germany“

.precision
.design
.tradition
.team play
.success

PRESENTED BY:

This catalog is free.
03 / 2024 ©Feinwerkbau GmbH
Modifications of technics and design reserved. Printed in Germany.